

TP25A2354YIUX

AC

> CONTATTACI



The TP series roof-mounted exhaust units provide an effective solution for dissipating heat from the top section of electrical panels. Suitable for both indoor and outdoor applications, they ensure high airflow performance even in confined spaces where wall-mounted installation is not possible. Depending on environmental conditions, they can be combined with one or more filters to enable either natural convection or forced air cooling.

Technical data		
APPROVALS		
Approvals	CE; UKCA	
PERFORMANCE		
Fan Max Airflow	1510/1645 889/968	m³/h CFM
Max Airflow	1375/1502 809/884	m³/h CFM
Optimal Operating Airflow	1325/1449 780/853	m³/h CFM
Max Static Pressure	682/903 2.74/3.63	Pa in H2O
ELECTRICAL DATA		
Rated Voltage	230	V a.c.
Rated Current	0.95/1.34	A
Rated Power	238/338	W
Operating Voltage	207-253	V a.c.
Frequency	50/60	Hz
Appliance Class	I	
Motor Protection	Thermally Protected	
MECHANICAL DATA		
Mounting Roof Thickness	1.2-3 0.05-0.12	mm in

Image is for illustrative purpose only. All specifications, data and drawing are subject to change without notice. Please refer to our terms of sales including our warranty and limited liabilities cla

TP25A2354YIUX

AC

> CONTATTACI

VENTILATION SYSTEMS

Technical data		
Bearing	Ball Bearing	
GENERIC DATA		
Spare Parts Filter Media	M007K	
Weight	8.71	Kg
	19.21	lb
RAL Number	7035	
Life Expectancy	40000/40000	h at 55 °C
	40000/40000	h at 131 °F
Electrical Connection	Pluggable Terminal Block	
Wires Section	0.5-2.5	mm²
Wires Section	14-20	AWG
Filter Class	G3	EN 779
Filter Class	ISO coarse 55%	ISO 16890
Filter Material	thermo-linked progressive structure synthetic fibre	
Fixing System	Snap Mounting	
ENVIRONMENTAL AND THERMAL DATA		
IP Protection Degree	IP54	
Operating Temperature	-30÷55	°C
	-22÷131	°F
Storage Temperature	-30÷60	°C
	-22÷140	°F

Image is for illustrative purpose only. All specifications, data and drawing are subject to change without notice. Please refer to our terms of sales including our warranty and limited liabilities cla


TP25A2354YIUX

AC

> CONTATTACI

VENTILATION SYSTEMS

Technical drawing mm (in)



Mounting cut-out mm (in)




Image is for illustrative purpose only. All specifications, data and drawing are subject to change without notice. Please refer to our terms of sales including our warranty and limited liabilities cla

TP25A2354YIUX

AC

> CONTATTACI

VENTILATION SYSTEMS

Air Performance




Image is for illustrative purpose only. All specifications, data and drawing are subject to change without notice. Please refer to our terms of sales including our warranty and limited liabilities cla